



## FICHA TÉCNICA

**Modelo: NFE-600-DC-PR**

**Descripción: Guante tejido jersey/nitrilo dorso cubierto puño rígido**



EPI Categoría: **II**

Tallas de fabricación: **7-10**

Colores: **Base: Beige**

**Recubrimiento: Azul**

Uso: **Profesional**

Niveles de protección:



## DESCRIPCIÓN

Guante de cinco dedos destinado a la protección frente a agresiones mecánicas, confeccionado tejido de punto jersey 100% algodón con puño rígido.

Totalmente cubierto de un doble recubrimiento de nitrilo que le proporciona un excelente agarre en húmedo, seco y especialmente para piezas aceitosas resbaladizas, y un nivel de resistencia alto a la abrasión.

Dorso cubierto para protección completa de la mano contra líquidos.

## CARACTERÍSTICAS

Este Guante Modelo NFE-600-DC-PR es un Equipo de Protección Individual (EPI) de categoría II, que cumple con las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE.

También cumple con las exigencias recogidas en las normas europeas EN 420-2003 (Exigencias Generales para Guantes de Protección) y EN 388-2003 (Guantes contra Riesgos Mecánicos).

Este guante está especialmente indicado para ser utilizado en todo tipo de industrias, donde exista un riesgo mecánico para la palma de las manos.

El nivel de protección de este guante es: 4.1.2.2

# FOLLETO INFORMATIVO

## MANDATARIO:

ADEEPI GRUPO 2002, S.L.  
C/ Topacio, 26 (P. I. SAN CRISTÓBAL)  
47012 VALLADOLID



Tel. 983 21 93 55  
Fax. 983 21 93 04  
e-mail. adeepi@adeepi.es

## GUANTE DE PROTECCION CONTRA RIESGOS MECANICOS MODELO NFE-600-DC-PR



EPI DE CATEGORIA II

COLOR : Azul y Beige

TALLAS : varias

### NIVELES DE PROTECCION

**EN 388/03**



**A B C D**

**A Resistencia a la ABRASION**

**NIVEL 4**

(Nivel mínimo:1; Nivel máximo:4)

**B Resistencia al CORTE**

**NIVEL 1**

(Nivel mínimo:1; Nivel máximo:5)

**C Resistencia al DESGARRO**

**NIVEL 2**

(Nivel mínimo:1; Nivel máximo:4)

**D Resistencia a la PENETRACION**

**NIVEL 2**

(Nivel mínimo:1; Nivel máximo:4)



## INFORMACION E INSTRUCCIONES DE USO

El guante referencia "**NFE-600-DC-PR**" es un Equipo de Protección Individual (EPI), que cumple con las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE. Así mismo el presente EPI cumple con las exigencias recogidas en las normas europeas EN 420-03 (Exigencias Generales para Guantes de Protección) y EN 388-03 (Guantes contra Riesgos Mecánicos).

Este guante está especialmente indicado para ser utilizado en todo tipo de industrias, donde exista un riesgo mecánico para la palma de las manos, tales como construcción, siderurgia, automoción, metalúrgicas, industria del mueble, carga y descarga, agricultura, estaciones de servicio, etc.

**NO DEBE UTILIZARSE** en aquellos puestos de trabajo donde el nivel de riesgo mecánico a cubrir **supere los niveles de prestación** alcanzados según la norma EN 388, arriba mencionados, o en aquellos puestos de trabajo donde se requiera tacto, o cuando **se trate de riesgos no mecánicos** (térmicos, químicos, eléctricos, etc.). Especialmente, debe evitarse el contacto con productos que puedan afectar a la estructura del guante.

### ALMACENAMIENTO

Almacenar en un lugar seco y aireado, con temperaturas entre (-2 y 50 °C) y protegido de la luz solar.

### MANTENIMIENTO O LIMPIEZA

Si es preciso puede lavarse a 40 °C con un detergente neutro



CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Garnier - 4, rue Hermann Frenkel - 69367 Cedex 7 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0) 4 72 76 10 00 E-Mail: ctclyon@ctcgroupe.com - www.ctc.fr



Notified body N° 0075

## EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

**Certificate N°**

**0075/1558/162/01/15/0029**

Is given to the following model of personal protective equipment :

**Issued to :**

ADEEPI GRUPO 2002, S.L

C/ Topacio 26 Pol. Ind. San Cristobal 47012 Valladolid

SPAIN

**Distributor :**

/

**Product reference :**

NFE-600-DC-PR

**Description :**

**PPE Type :** *Protective gloves against mechanical risks.*

**Reference standard :** *EN 388 : 2003.*

**Category :** *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/1558/162/01/15/0029.

**Issued in Lyon by** Lionel Gaudilliere  
Head of CE marking

**Date of issue :** January 15th, 2015

**Update 01 on** January 28th, 2015



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law, CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE  
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : cldyon@ctc-groupe.com - www.ctc.fr  
Comité professionnel de développement économique cuir chaussure maroquinerie  
Siret 77564972500160 - code NAF 9412Z - TVA FR 88775649725





*In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,*

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctilyon@ctogroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,  
registered under the number 0075, published in OJEC, delivers :

### EC-TYPE EXAMINATION CERTIFICATE 0075/1558/162/01/15/0029

To the following model of personal protective equipment :

\* reference of the model : NFE-600-DC-PR

\* protective glove against mechanical risks.

\* Manufacturer :

**ADEEPI GRUPO 2002, S.L**  
C/ Topacio 26 Pol. Ind. San Cristobal 47012 Valladolid  
SPAIN

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 15th, 2015  
Update 01 on January 28th, 2015

Issued by  Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-30 of the French Code of Work.



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : NFE-600-DC-PR

Basic Model

Dated : JANUARY, 2015

NITRILE COATED, FULLY COATING, JERSEY LINER, SAFETY CUFF

**Available sizes :**

9 10 11

**Visual description :**



**Material :**

	Color	Material	Gauges	Thickness
PALM	BLUE	NITRILE		
	BEIGE	COTTON JERSEY	22	
BACK	BLUE	NITRILE		
	BEIGE	COTTON JERSEY	22	
LINING				
CUFF	BEIGE	COTTON JERSEY	22	
BINDING	BLUE	POLYESTER		



## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)
- \* This product is a category II.

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC	Other
EN 420	SH60550-10 SH60798-14 SH60559-10	
Azo	SH60550-10 SH60559-10	
EN 388	SH60550-10 SH60736-10 SH61362-11	
OTHER	SH60550-10 (DMFu) SH60798-14 (TIN CAD)	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	2

The levels of performance have been measured on the palm




### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: NFE-600-DC-PR
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

Marking example:





**DECLARACIÓN DE CONFORMIDAD**

El fabricante o su mandatario establecido en la Comunidad:

**ADEEPI GRUPO 2002 S.L.**

C/ Topacio 26  
Pol. Ind. San Cristobal  
47012 Valladolid

*declara que el EPI nuevo que se describe a continuación:*

**Ref. NFE-600-DC-PR**

**GUANTE DE SEGURIDAD TEJIDO JERSEY/NITRILO DORSO CUBIERTO y PUÑO RÍGIDO**

*de EPI categoría II es conforme a las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE.*

*Así mismo, también cumple con las exigencias recogidas en las normas europeas EN 420-03 + A1-09 (Guantes de protección. Requisitos generales y métodos de ensayo) y EN 388-03 (Guantes contra Riesgos Mecánicos) expedidas por CTC (Nº 0075/1558/162/01/15/0029)-CENTRE TECHNIQUE CUIR CHAUSSURE MAROQUINERIE, PARC SICIENTIFIQUE TONY GARNIER-4, RUE HERMANN FRENKEL-69367 CEDEX 07-FRANCE.*

**Hecho en Valladolid el 31 de Enero 2017**



Sergio Pérez Ayerbe