



FICHA TÉCNICA

Modelo: NYGFO-800

Descripción: Guante doble capa nitrilo FOAM



EPI Categoría: **II**

Tallas de fabricación: **7-10**

Colores: **Base: Azul**

Recubrimiento: Negro

Uso: **Profesional**

EN 388/03

Niveles de protección:



DESCRIPCIÓN

Guante de cinco dedos destinado a la protección frente a agresiones mecánicas, confeccionado en una única pieza de tejido de nylon en galga 13.

Doble recubrimiento nitrilo:

- 1^a capa – Recubrimiento total de nitrilo suave contra líquidos, aceites y disolventes con el dorso transpirable.
- 2^a capa - Nitrilo negro arenado en palma y dedos. Permite gran sensibilidad así como un excelente agarre (gripping) en piezas mojadas y aceitosas.

Ajuste en la muñeca por inserción de gomas elásticas. El final de guante está remallado con hilo de color según las tallas.

CARACTERISTICAS

Este Guante Modelo NYGFO-800 es un Equipo de Protección Individual (EPI) de categoría II, que cumple con las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE.

También cumple con las exigencias recogidas en las normas europeas EN 420-03 (Exigencias Generales para Guantes de Protección) y EN 388-03 (Guantes contra Riesgos Mecánicos).

Este guante está especialmente indicado para ser utilizado en todo tipo de industrias, donde existe un riesgo mecánico para la palma de las manos. Se recomienda también su uso para el agarre de piezas aceitosas o mojadas.

El nivel de protección de este guante es: 4.1.2.1

FOLLETO INFORMATIVO

MANDATARIO:

ADEEPI GRUPO 2002, S.L.
C/ Topacio, 26 (P. I. SAN CRISTÓBAL)
47012 VALLADOLID



Tel. 983 21 93 55
Fax. 983 21 93 04
e-mail. adeepl@adeepl.es

GUANTE DE PROTECCIÓN CONTRA RIESGOS MECANICOS
MODELADO NYGFO-800



EPI DE CATEGORIA II

COLOR : Azul/ negro

TALLAS: 6, 7, 8, 9, 10

NIVELES DE PROTECCION

EN 388/03



A B C D

A Resistencia a la ABRASION

NIVEL 4

(Nivel mínimo:1; Nivel máximo:4)

B Resistencia al CORTE

NIVEL 1

(Nivel mínimo:1; Nivel máximo:5)

C Resistencia al DESGARRO

NIVEL 2

(Nivel mínimo:1; Nivel máximo:4)

D Resistencia a la PENETRACION

NIVEL 1

(Nivel mínimo:1; Nivel máximo:4)



INFORMACION E INSTRUCCIONES DE USO

El guante referencia "NYGFO-800" es un Equipo de Protección Individual (EPI), que cumple con las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE. Así mismo el presente EPI cumple con las exigencias recogidas en las normas europeas EN 420-03 (Exigencias Generales para Guantes de Protección) y EN 388-03 (Guantes contra Riesgos Mecánicos).

Este guante está especialmente indicado para ser utilizado en todo tipo de industrias, donde exista un riesgo mecánico para la palma de las manos, tales como construcción, siderurgia, automoción, metalúrgicas, industria del mueble, carga y descarga, agricultura, estaciones de servicio, etc.

NO DEBE UTILIZARSE en aquellos puestos de trabajo donde el nivel de riesgo mecánico a cubrir **supere los niveles de prestación** alcanzados según la norma EN 388, arriba mencionados, o en aquellos puestos de trabajo donde se requiera tacto, o cuando **se trate de riesgos no mecánicos** (térmitos, químicos, eléctricos, etc.).

Especialmente, debe evitarse el contacto con productos que puedan afectar a la estructura del guante.

ALMACENAMIENTO

Almacenar en un lugar seco y aireado, con temperaturas entre (-2 y 50 °C) y protegido de la luz solar.

MANTENIMIENTO O LIMPIEZA

Si es preciso puede lavarse a 40 °C con un detergente neutro



CTC-Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Garnier- 4, rue Hermann Frenkel- 69367 Cedex 07- France
Tel. +33(0)4 72 76 10 10 Fax+33(0)4 72 72 76 10 00 e-mail: ctclyon@ctcgroupe.com- www.ctc.fr



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1558/162/01/15/0095

Is given to the following model of personal protective equipment :

Issued to : ADEEPI GRUPO 2002 SL

C/ Topacio 26 Pol. Ind. San Cristobal 47012 Valladolid

ESPAÑA

Distributor : /

Product reference : NYGFO-800

Description :

PPE Type : *Protective gloves against mechanical risks.*

Reference standard : *EN 388 : 2003.*

Category : II

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/1558/162/01/15/0095.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : January 29th, 2015



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law.
CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroupe.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

**EC-TYPE EXAMINATION CERTIFICATE
0075/1558/162/01/15/0095**

To the following model of personal protective equipment :

* reference of the model : NYGFO-800

* protective glove against mechanical risks.

* Manufacturer :

**ADEEPI GRUPO 2002 SL
C/ Topacio 26 Pol. Ind. San Cristobal 47012 Valladolid
ESPAÑA**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 29th, 2015

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : NYGFO-800

Basic Model

Dated : JANUARY, 2015

13G grey nylon liner fully coated with blue nitrile smooth and palm coated with black sandy nitrile.

Available sizes :

7/S 8/M 9/L 10/XL 11/XXL

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	black+blue	nitrile		
	grey	nylon	13	
BACK	blue	nitrile		
	grey	nylon	13	
LINING				
CUFF	grey	nylon / spandex	13	
BINDING	green, red, yellow, blue, grey	polyester		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	SH60461-13, SH62914-14	
Azo	SH60461-13, SH62914-14	
EN 388	SH60461-13	
OTHER	SH60461-13 (DMFu, Tin, Cad)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * marking
- * reference of the model: NYGFO-800
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





ADEEPI GRUPO 2002 S.L.

C/ Topacio 26

Pol. Ind. San Cristobal

47012 Valladolid

Tfno.: 983219355

adeepi@adeepi.com

DECLARACIÓN DE CONFORMIDAD

El fabricante o su mandatario establecido en la Comunidad:

ADEEPI GRUPO 2002 S.L.

C/ Topacio 26

Pol. Ind. San Cristobal

47012 Valladolid

declara que el EPI nuevo que se describe a continuación:

Ref. NYGFO-800

Guante doble capa nitrilo FOAM

de EPI categoría II es conforme a las exigencias esenciales de sanidad y seguridad que se especifican en el Real Decreto 1407/1992, del 20 de Noviembre, en el que se recogen las directrices de la Directiva del Consejo de Europa 89/686/CEE.

Así mismo, también cumple con las exigencias recogidas en las normas europeas EN 420-03 + A1-09 (Guantes de protección. Requisitos generales y métodos de ensayo) y EN 388-03 (Guantes contra Riesgos Mecánicos) expedidas por CTC (Nº 0075/1558/162/01/15/0095)- CENTRE TECHNIQUE CUIR CHAUSSURE MAROQUINERIE, PARC SCIENTIFIQUE TONY GARNIER- 4, RUE HERMANN FRENKEL-69367 CEDEX 07-FRANCE.

Hecho en Valladolid el 16 de Junio, 2015.

Sergio Pérez Ayerbe

