



FICHA TÉCNICA

FIRENZE

Categorías | S3+SRC

Piel | Flor hidrofugada
con relieve

SKARPPA

Línea RED



Norma: EN ISO 20345:2011

Categoría S3 SRC

Tallas de fabricación: 36 – 48

Color: Piel negro/hilo contraste forro en marrón

Uso: Profesional

Certificados por:

Intertek

CE



CARACTERÍSTICAS CONSTRUCTIVAS

Zona talón: **Cerrada**

Sistema de cierre: **Cordones y lengüeta**

Resistencia eléctrica: **Antiestático**

DESCRIPCIÓN DE COMPONENTES

Puntera: **Metálica**

Protección planta: **Metálica**

Piel: **Piel flor hidrofugada tipo Barton 1,8 – 2,0 mm de grosor**


Plantilla interior: **Antiestática, antibacterias, antihongos**

Plantilla: **Con hilo antiestático**


Suela: **Doble densidad de poliuretano**



Certificado por:



SKARPPA



- Bota de Seguridad con **PUNTERA METÁLICA:**

Soporta un impacto de 200 Julios (equivalente a impacto de 20 kgs caídos desde 1 metro de altura a los dedos del pie). Soporta una compresión de 15 KN (equivalente a 1,5 Tn de peso).

- Piel hidrófuga en cumplimiento de la norma exigente para **S3**.

- Certificado **S3 SRC** según **EN ISO 20345:2011**

- **SUELA DE POLIURETANO DE DOBLE DENSIDAD ANTIDESLIZANTE**, ligera, antiestática, resistente a la abrasión, a aceites e hidrocarburos, máxima estabilidad y agarre, anti perforación.

- Corte piel flor tipo Barton de 1.8mm-2.0mm de grosor y un forro interior con relleno.

- Plantilla interior absorbente, con tratamiento anti bacterias, anti hongos y antiestáticas.

Certificado por:



EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to : Adepi Grupo 2002 SL
C/Topacio 26, Pol. Ind. San Cristobal, 47012 Valladolid Spain

Date of Issue : 10 May 2013

Expiry Date : 14 December 2017

Certificate No. : LEC FI00332531 (Extension of certificate LECFI00329900)

Product Reference(s) : Firenze, Borgomanero, Verona, Pisa, Novara

Description :

Construction	:	Double density PU Injection
Toecap	:	#459 Steel toecap
Midsole	:	Steel plate
Last	:	1000
Sole	:	1000
Mould	:	1000
Test Report(s)	:	See technical file
Size Range	:	35-48
Category	:	S3 SRC

P. Williams

10/05/2013

Assessor

Date

M. Lutz

10/05/2013

Certification Manager

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: 25 Savile Road, London W1S 2ES

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than the Client in accordance with the agreement. For any fees, charges or storage associated with the use of this Certificate, the Client is notified in terms of copying or distribution of this Certificate and this only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Certificate. Any further use of the Intertek mark for the sale or advertisement of the related material, product or service must first be approved in writing by Intertek.

Declaración de conformidad

El fabricante o su mandatario ADEEPI GRUPO 2002, S.L. C/Topacio, 26 (San Cristóbal) – 47012 VALLADOLID declara que el EPI nuevo que se describe a continuación **CALZADO DE SEGURIDAD Mod. FIRENZE** de categoría S3+SRC es conforme a las disposiciones del Real Decreto 1407/1992 y, en su caso, a la norma nacional que efectúa la transposición de la norma armonizada N. EN ISO 20345:2011 (para los EPI contemplados en el **apartado 1 del artículo 7**) es idéntico al EPI objeto del certificado «CE» de tipo n LECFI00332531 (Extensión de certificación LECFI00329900) expedido por INTERTEK (No.0362) CENTRE COURT MERIDIAN BUSINESS PARK LEICESTER LE19 1WD.

Hecho en Valladolid el 26 de Agosto 2013.

Sergio Pérez Ayerbe



Certificado por:

